

GMC 2000 AND 2600 UPC FOR UPC/IAPMO INSTALLATION DRAWING

NOTES:

- REFER TO INSTALLATION PROCEDURE AND INSTALLATION CHECKLIST.
- PROCEPTOR SEPARATORS MUST BE INSTALLED IN ACCORDANCE WITH ALL RELEVANT FEDERAL, PROVINCIAL/STATE, AND LOCAL CODES INCLUDING LOCAL PLUMBING CODE.
- US PATENT # 5,746,912; CDN PATENT # 2,195,822




TABLE 2

PROCEPTOR F.O.G. SEPARATOR MODEL	INLET INVERT TO TANK BOTTOM (H*)	HEIGHT OF BUOYANCY SLAB (HBS)	DRY WEIGHT OF UNIT
GMC 2000 UPC	60"	26"	1350 lbs
GMC 2600 UPC	75"	35"	1550 lbs

BURIAL DEPTH	A	B
Max.	7' 6"	6 ft.
Min. with Traffic	36"	18"
Min. no Traffic	28"	** 10"

** MAY VARY DEPENDING ON VENT PIPING AND FLOOR SLAB

TITLE: PROCEPTOR F.O.G. SEPARATOR INSTALLATION FOR GMC 2000 AND 2600 UPC

PROJECT: WO:

✓ OPTIONS:

REV	DATE	DRAWN
1		
2		
3	JUNE 1, 2005	L. SIMKINS
4	SEPTEMBER 20, 2005	L. SIMKINS
5	OCTOBER 26, 2006	L. SIMKINS
6	FEBRUARY 5, 2007	L. SIMKINS
7	AUGUST 27, 2007	L. SIMKINS
8	OCTOBER 16, 2007	L. SIMKINS
9	APRIL 16, 2008	L. SIMKINS
10		

DRAWN BY: F CHANDLER

DRAWN DATE 6/18/04

ProceptorTM
by greenturtleTM
US 877 428 8187 CAN 877 966 9444
www.greenturtletech.com

SIZE	DWG. NO.	REV.
A	INSTALL GMC 2000-2600 UPC	9

SCALE: 1:50 DO NOT SCALE DRAWING SHEET 1 OF 2